


EDGE GUITAR CABLES



Characteristics:
 Conductor Resistance:
 0.036 ohms/m at 20° C
 Capacitance: 68.24 pF/m at 1 kHz
 Inductance: 0.386 uH/m at 1 kHz

Straight to Same

Model	Length
CGK-005	5 ft
CGK-010	10 ft
CGK-015	15 ft
CGK-020	20 ft
CGK-025	25 ft
CGK-030	30 ft

Straight to Right-angle

Model	Length
CGK-005R	5 ft
CGK-010R	10 ft
CGK-015R	15 ft
CGK-020R	20 ft
CGK-025R	25 ft
CGK-030R	30 ft

Right-angle to Same

Model	Length
CGK-000.5RR	6 in
CGK-001RR	12 in
CGK-001.5RR	18 in



Edge Series Guitar Cables CGK Series

Hosa Edge Series Guitar Cables deliver the same quality-price ratio that Hosa customers expect in a highest-quality cable. Rather than invest in hype and fancy packaging, Hosa relies upon high-quality cable and connectors by industry-leader Neutrik AG for a lifetime of dynamic, noise-free sound.

20 AWG Oxygen-Free Copper (OFC) conductors reduce resistance for maximum signal flow. Stranded-copper conductors and Foamed Polyethylene dielectrics reduce capacitance for crystal-clear high end.

With OFC Braids to reject electromagnetic interference and Conductive PVC to absorb handling noise, Hosa Edge Guitar Cables deliver noise-free signal transmission and the most neutral, dynamic tone in their class. Original Neutrik® connectors—the industry standard—complete cables that are worthy of any stage or studio.

For more information visit www.hosatech.com or call 1-800-255-7527

